



Mark Max Standard

The industry standard for AIRLESS Spraying of Paints,
Fire Retardants and Airless Plasters.



STANDARD
SERIES

EVERYDAY RELIABILITY

- Trust in proven technology with the Advantage Drive System. Runs quiet and is guaranteed for life!
- Rely on the industry standard: the Graco Endurance™ Pump.
- Count on the SmartControl™ 3.0 Pressure Control to get your daily job done! It delivers a consistent spray fan without fluctuations while protecting your investment against bad power conditions.

Texture Applications

MARK IV™ MAX STANDARD - MARK V™ MAX STANDARD - MARK VII™ MAX STANDARD - MARK X™ MAX STANDARD



Mark Max Standard

The Industry Standard in Electric Airless

This is for **YOU** when you're looking for technology that gets the job done. Technology that has proven to do the trick, time and time again.

After introducing the Mark V in the market, mid nineties, Graco became a real trendsetter for spraying airless plasters. The speed of airless, combined with a very smooth finish, became a standard in the industry.

A standard you can trust to get the job done. A standard we now offer on an extended range of Mark Max units.

The **Standard Series** of our Mark Max are built for professionals who don't need extras, looking for proven everyday reliability to get the job done fast and easy.

Choose the right unit...

The MARK IV MAX is the optimal unit for large painting jobs for the inside as well as the outside! Versatile in applications, it is well suited for fire retardants and even the occasional plaster job can be tackled with this sprayer.

Our well known MARK V MAX is a step up from that! Optimized for professionals that split their time between painting and plastering, and need the productive output this unit can deliver.

Delivering twice the performance of the MARK V MAX, the MARK X MAX is strong enough to spray over 30.000 liters a year.

Slightly too big for you? Try the MARK VII MAX, you will be charmed by its price/performance ratio.

... and go for the Standard Series for everyday reliability!

Have a look at the features that have turned our MARK MAX range into the industry standard. Discover this standard, like so many other professionals have already.



Advantage Drive™

The drive is the critical link between the engine and the pump.

Graco doesn't leave the manufacturing of our Advantage Drive System to others; rather, we design and manufacture them at our world-class manufacturing facility in the United States.

- Hardened steel gears run extremely quiet
- The most durable, longest lasting drive in the industry

SMARTCONTROL™

SmartControl™ 3.0 with Pressure Gauge

Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- Spray thicker coatings and run longer hoses
- ProGuard™ Sprayer Protection System guards against bad or extreme job site power conditions



Endurance™ Pump

Graco's proven and reliable piston pump technology with LongLife-V packings.

QuickAccess™ intake valve to easily clean or clear debris. Spring loaded for better pump efficiency.



Materials & Applications

The MARK MAX STANDARD is a real multiple purpose unit for large painting jobs for the inside as well as the outside! Your most reliable buddy sprays airless plasters and most common paints.

The MARK MAX STANDARD sprays latex, emulsions, acrylics, epoxies, blockfillers, fire retardants, intumescent and most common airless plasters. It even has enough performance to deliver the necessary flow for 2 people spraying simultaneously.



Watch our
application videos at:
<http://6.graco.eu.com>





TiltBack™ Cart Design

Sprayer kick stand allows convenient, one person bucket change and facilitates cleaning and maintenance of your pump.

www.graco.com


Easy Out™ Pump Filter

The Easy Out pump filter is designed to filter from the inside out so filters won't get stuck or collapse when filled with dirt or debris.

- Large 19.5 square inch filtering area reduces tip clogs and ensures a quality finish
- Vertical filter removes with the cap for less mess



Whether you're spraying paint or texture, Graco understands your needs and knows that it's all about production rate and flow. No matter the type and size of the job, there is a Mark sprayer in the Standard Series that will deliver the flow you want, to achieve the production rate you need!



PLASTER SYSTEM

Extend your Mark Max sprayer to a fully complete plaster system with the 90 liter hopper and bag roller if you spray materials delivered in bags.



SPRAY 700 m² in a day...

... with a 2 man crew. Use the container suction set, pumping directly from a 500 or 1000 liter container delivered by your material supplier ... Extremely effective, especially if all built into a van or trailer.

! TIP

For improved pump performance when spraying paint, replace the ceramic ball in the lower pump with the SST ball (delivered free with the unit).





Mark Max Standard Accessories

Get the most out of your equipment, using our professional accessories

Improve your finishing quality



Guns

289605	HD Blue Plaster gun (+ RAC X guard & 531 tip)
245820	HD Inline™ Plaster gun
246468	Flex Plus™ gun (+ RAC X guard & 517 tip)



Easy Out™ Pump Filters

244071	30 mesh, grey
244067	60 mesh, black (= standard)
244068	100 mesh, blue
244069	200 mesh, red



Inlet Strainer Mark V

189920	metal
--------	-------



BlueMax™ II Hoses & Whips (230 bar)

241275	3/8" x 30 m		
240794	1/4" x 15 m		
278499	1/2" x 15 m Fluid hose		
240797	3/8" x 15 m (FBE)		
238358	3/16" x 0.9 m	238959	3/16" x 1.4 m
238359	3/16" x 1.8 m	191239	3/8" x 3.5 m
277249	1/4" x 0.9 m (BlueMax™ II)		



Adapters

159841	1/4" (F) x 3/8" (M) adapter
189018	1/4" gun swivel (M) x (F)
207947	1/2" gun swivel
159239	Adapter 1/2" x 3/8" (M)



TexSpray Kits

289611	Kit HD Blue Plaster gun, 3/8" x 15 m hose, whip hose 1/4" x 90 cm, RAC X guard + 427 & 531 tip
289585	Kit HD Inline Plaster gun, 1/2" x 15 m hose, whip hose 3/8" x 3.5 m, RAC X guard and WA1239 + 643 tip



Standard Endurance™ Pump lowers

16X428	Mark IV	16Y601	Mark VII
16X429	Mark V	16X425	Mark X



Hopper

287987	90 liter hopper
289587	Bag roller



Flexible Suction Kit

243167	Container suction kit, 1" (25 mm) - paint
24M445	Container suction kit, 2" (50 mm) - plaster



JetRoller™ System 0.5 m Heavy Duty Extension

with Inline Gun		without Inline Gun	
24V490	roller 18 cm	24V492	roller 18 cm
24V491	roller 25 cm	24V493	roller 25 cm
232123	1 m Heavy Duty extension		



RAC X Tip Extensions

287019	25 cm	287020	40 cm
287021	50 cm	287022	75 cm



CleanShot™ RAC X Pole Gun

287026	90 cm
287027	180 cm



Tips & Guards

PAAXXX	Blue RAC X professional airless tip
HDAXXX	Brown RAC X heavy duty tip
WA12XX	RAC X WideRac, for big surfaces
246215	RAC X guard



Liquids

206994	TSL™ 0.25 l
253574	Pump Armor™ 1 l
245133	Pump Armor 3.8 l

Standard

Unpack, plug & spray!

Ready to go, the Mark Max Standard Series ship complete and ready to spray. SmartControl™ 3.0, TiltBack™ cart design, whip hose, BlueMax™ II hose 3/8" x 15 m, 246215 RAC X™ HandTite™ guard, gun, tips, SST and ceramic balls, 206994 TSL™ 0.25 liter.

Find this unit at:

Specifications



	MARK IV MAX STANDARD	MARK V MAX STANDARD	MARK V MAX STANDARD	MARK VII MAX STANDARD	MARK X MAX STANDARD
Part Numbers: for Euro version - 220 V	16X953	16X965	—	16Y763	16Y534
for Multi Cord version	16X954	16X944	—	16Y919	16Y535
for UK - 110 V	—	—	16X966	—	—
Max. Tip Size: with paint - plaster	0.031" - 0.033"	0.035" - 0.037"	0.039" - 0.041"	0.041" - 0.047"	0.045" - 0.051"
Flow - l/min. (gpm)	3.6 (0.95)	4.3 (1.2)	5.1 (1.35)	6.0 (1.58)	8.3 (2.2)
Max. Pressure - bar (PSI)	230 (3300)	230 (3300)	230 (3300)	230 (3300)	230 (3300)
Hose	15 m x 3/8"	15 m x 3/8"	15 m x 3/8"	15 m x 1/2"	15 m x 1/2"
Whip Hose	0.9 m x 1/4"	0.9 m x 1/4"	0.9 m x 1/4"	3.5 m x 3/8"	3.5 m x 3/8"
Gun	Flex Plus	HD Blue Plaster	HD Blue Plaster	HD Blue Plaster	Inline HD Plaster
Tip Standard	PAA425	PAA427/HDA531	PAA427/HDA531	HDA531/541	HDA531/541
Weight - kg (lbs)	49 (108)	68 (151)	68 (151)	73 (160)	81 (178)
Motor Type	DC Brushless	DC Brushless	DC Brushless	DC Brushless	DC Brushless
Motor Rating - kW (HP)	1.5 (2.0)	1.6 (2.2)	2 (2.8)	1.9 (2.5)	3.0 (4.0)

* Flow rates vary with different plasters and environmental conditions. Smaller ceramic balls provide higher flow with plaster than SST balls with paint.