

GMAX™ II ProContractor

Top-of-the-line Petrol-Powered Airless Sprayers



- Equipped with the new Endurance[™] Vortex MaxLife[™] Piston Pump with ProConnect 2.
- Equipped with the new Endurance Vertex maxene Tieter Lump with Tree ended 2.
- Convenient and efficient, the QuikReel[™] hose reel allows you to save time and money.
- Monitor the performance of your investment more easily the LED display is bright and easy to read.

GMAX II ProContractor

Petrol-Powered Airless Spraye for Professionals

For increased speed and productivity!

It's for YOU, the smart professional. that Graco keeps reinventing spray equipment technology. We know you're looking for the latest innovations to help you finish jobs faster, and with less fuss and fatigue.

The ProContractor Series of our GMAX II range includes top-of-theline innovations, for top of the line professionals who demand more than "just" high quality technology.

Choose the right unit

The GMAX II range is ideally suited for high-production professional contractors who demand uninter-rupted performance without the need for electric power. The GMAX II 3900 (120 cc) is the perfect sprayer for the professional paint jobs on new residential construction job sites. The GMAX II 5900 is a step up from that. With its 200 cc Honda® engine, it delivers the output you require for larger commercial paint projects. Along with its high performance 200 cc Honda® engine, the GMAX II 7900 HD is equipped with a heavy duty pump, enabling it to easily spray all thicker coatings as well as the full range of primers and paints.

... and go for the ProContractor Series for ultimate comfort and luxury! Take a look at the latest innovative features we've added to the ProContractor Series in the GMAX II range.

This is what distinguishes you from other professionals. This is where you save time and money. This is where you stand out.



Endurance Chromex[™] Pump

Vortex rotating piston technology keeps you spraying





ProConnect[™] 2 Pump Replacement

Complete no-tools pump replacement system

QuikAccess™ Intake Foot Valve

Clear debris faster with easy inlet ball access



Honda® Engines

The industry standard engine for the industry standard sprayer! All GMAX II units are equipped with Honda® engines (contractor preferred) that deliver unmatched performance to the pump.



OuikReel[™] **Integrated Hose Reel**

Work more comfortably and more efficiently. Roll out and roll up max. 90 m of hose in just a few seconds - spray up to a range of 180 m without moving the unit. Get in, get out and move on to the next job site quicker than ever!



The GMAX II PROCONTRACTOR series are ideal units for spraying a full range of coatings during residential, commercial and industrial

Spray acrylics, primers, emulsions, waterborne and solvent-based paints with the 3900 and 5900, or upgrade to the 7900 HD to handle most common anti-corrosive and fire-retardant paints and Airless plasters as well!





SMARTCONTROL™

SmartControl™ 3.0 with LED Display

Protect and monitor your investment more easily, with the bright and easy-to-read LED display that shows the job/lifetime/ liter counter and the self diagnostics provided by the new and improved "brains" of the unit - the SmartControl 3.0.



Contractor PC[™] Gun

FINISH JOBS FASTER WITH LESS FATIGUE Premium Comfort for All-Day Spraying

- ➤ Lightest gun in its class
- ➤ Up to 50% lighter trigger pull force
- ➤ E-Z Fit adjustable trigger length

REDUCE DOWNTIME WITH PROCONNECT Complete Gun Rebuild in Seconds (PATENT PERDING)

➤ Needle and all wear parts in one simple cartridge



EXTEND YOUR SPRAYING AUTONOMY

When used with a hopper or container suction kit, you can work for longer periods of time before refilling. Use for overnight storage or to transport your material. You will save energy, time and money.



! TIP

Gradually begin working at low material pressure.

Slowly raise the pressure, but only to the minimum pressure required for successful application. Using too much pressure can cause pack-out due to aggregated materials or dirt.

For improved pump performance when spraying paint with the GMAX II 7900 HD unit, replace the ceramic ball in the lower pump with the SST ball (delivered free of charge with the unit).





OLD way

NEW way

Modular pre-oiled cartridge packings install correctly every time

QuikPak™ Cartridge System

CONTRACTOR P. C.

Repack the entire pump in minutes



Insert pre-oiled packing cartridge assembly



Remove disposable clip



Assemble pump

GMAX™ II ProContractor







GMAX II ProContractor

	3900	5900 (5900 HD)	7900 (7900 HD)
Part Numbers:	17E828	17E832 (17E840)	17E837 (17E842)
Max. Tip Size: 1 gun	0.036"	0.043"	0.048"
Max. Flow - I/min (gpm)	4.7 (1.25)	6.0 (1.6)	8.3 (2.2)
Max. Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Engine displacement - cm ³	120	200	200
Pump	Paint	Paint (HD Texture)	Paint (HD Texture)
Vortex ProConnect [™] 2	✓	✓	✓
Piston rod	MaxLife	MaxLife	MaxLife
Sleeve	MaxLife	MaxLife	MaxLife
MaxFlo [™] 2	-	- (✔)	- (✓)
Gun	Contractor PC [™]	Contractor PC (HD Blue Texture)	Contractor PC (HD Blue Texture)
Tips	517	517 (427, 531)	517 (427, 531)
Hose	1/4" x 15 m	1/4" x 15 m (3/8" x 15 m)	1/4" x 15 m (3/8" x 15 m)
Whip hose	_	(1/4" X 0.9 m)	(1/4" X 0.9 m)
Weight - kg (lbs)	57 (125)	70 (155)	74 (161)

UNPACK, PLUG & SPRAY! Ready to go: the GMAX II ProContractor Series shipped complete and ready to spray. SmartControl™ 3.0, WatchDog™, Vortex ProConnect 2™, QuikReel™, gun with HandTite™ RAC X™ guard and tips, BlueMax™ II hose, TSL™ 0.25 litre, 197193 universal hammer tool, 111733 adjustable wrench and blue tool box. Everything is fully assembled.

Accessories

Get the most out of your equipment by using our professional accessories:

Guns		RAC X™ Tip Extensions		Additional	Additional Accessories		
17Y043	Contractor PC [™] Airless gun,	287019	25 cm	287987	90 litre hopper kit		
	RAC X 517	287020	40 cm	289587	Bag roller		
289605	TexSpray [™] blue gun with RAC X	287021	50 cm	24M445	Heavy duty container suction kit		
	guard and RAC X 531 tip	287022	75 cm		40 cm, 2" hose with 1" to DIN C		
245820	Inline [™] 4-finger plaster gun,				clamp connectors.		
	280 bar	CleanSho	t™ RAC X Pole Gun				
		287026	90 cm	Easy Out™	' Gun Filters		
Gun-Tip-l	lose Kits	287027	180 cm	287032	Easy Out gun filter, 60 mesh x 1		
17Y051	Contractor PC gun, 1/4" X 15 m			287033	Easy Out gun filter, 100 mesh x 1		
	hose, 3/16" x 0.9 m whip,	Hoses (23	80 bar)	287034	Kit: 60 mesh x 1 + 100 mesh x 1		
	RAC X 517	240794	1/4" x 15 m				
289611	TexSpray blue gun, 3/8" X 15 m	240797	3/8" x 15 m	Easy Out™	Pump Filters		
	hose, 1/4" x 0.9 m whip, RAC X	223771	1/4" x 30 m	244071	30 mesh, grey		
	531/427 tip, 276 bar	241275	3/8" x 30 m	244068	100 mesh, blue		
289585	Inline 4-finger plaster gun, 1/2"	241272	1/4" x 20 m	244067	60 mesh, black		
	x 15 m hose, 3/8" x 3.6 m whip,			244069	200 mesh, red		
	RAC X 643 + WA 1239 tip,	Whips (23	80 bar)		,		

ProContractor Vortex MaxLife™ Pumps

280 bar

17H823	GMax II 3900	
17H824	GMax II 5900	
17H833	GMax II 5900 HD	
17H825	GMax II 7900	
17H835	GMax II 7900 HD	

Hose Connectors

238358

238959

238359

156971	1/4" x	1/4"	(M)	Χ	(M)
157350	1/4" x	3/8"	(M)	Χ	(M)

253574 245133 Pump Armor 3.8 I

TSL™ 0.25 I

Pump Armor[™] 1

Liquids

206994

For more information regarding other GMAX II sprayers: GMAX II Standard Series: leaflet 300718 - GMAX II IronMan Series: leaflet 300769

3/16" x 0.9 m

3/16" x 1.4 m

3/16" x 1.8 m

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.





