



GMAX™ II Standard

The Industry Standard in Petrol-Powered Airless Sprayers



EVERYDAY RELIABILITY

- Rely on the industry standard: the Graco Endurance™ Chromex Pump.
- Trust in proven technology with the Advantage Drive System. Runs quietly and is guaranteed to last a lifetime.
- Count on the SmartControl™ 3.0 Pressure Control to get your day-to-day jobs done! It delivers a consistent spray fan without fluctuations while protecting your investment against poor power conditions.

Heavy Duty Applications

GMAX™ II 3900 STANDARD - GMAX™ II 5900 STANDARD - GMAX™ II 7900 STANDARD
GMAX™ II 5900 HD STANDARD - GMAX™ II 7900 HD STANDARD

GMAX II Standard

Petrol-Powered Airless Sprayers for Professionals

For Everyday Reliability!

If you're looking for technology that gets the job done, this is for YOU. Technology that has proven to do the trick, time and time again. The GMAX II family consists of Graco's most popular petrol-powered Airless sprayers for professionals. With over 25 years' experience in providing proven quality and unmatched on-the-job productivity, it has become an industry standard. A standard you can trust to get the job done.

THE STANDARD SERIES are suited for professionals that don't need extras but are looking for everyday reliability to get the job done quickly and easy.

CHOOSE THE RIGHT UNIT

The GMAX II range is ideally suited for high-production professional contractors who demand uninterrupted performance without the need for electric power.

The **GMAX II 3900** (120 cc) is the perfect sprayer for professional paint jobs on new residential construction job sites.

The **GMAX II 5900** is a step up from that. With its 200 cc Honda engine, it delivers the output you require for larger commercial paint projects. Along with its high performance 200 cc Honda® engine, the **GMAX II 7900 HD** is equipped with a heavy duty pump, enabling it to easily spray all thicker coatings as well as the full range of primers and paints.

... and go for the Standard Series for everyday reliability! Take a look at the features that have turned our GMAX II range into the industry standard. Discover this standard, like so many other professionals have already.

Endurance™ Chromex™ Piston Pump

Repack the pump in minutes with the new QuikPak Cartridge System

- QuikChange™ pump design allows you to swap the pump easily on the job
- Faster cleaning with the QuikAccess™ intake foot valve
- All GMAX II 7900 sprayers feature Graco's extreme-duty MaxLife™ Pump with both MaxLife sleeve and rod



Honda® Engines

The industry standard engine for the industry standard sprayer! All GMAX II units are equipped with Honda® engines (contractor preferred) that deliver unmatched performance to the pump.



Advantage Drive™

The drive is the critical link between the engine and the pump. Graco doesn't leave the production of our Advantage Drive System to others; we design and manufacture it at our world-class manufacturing facility in the United States.

- Hardened steel gears run extremely quietly
- The most durable, longest lasting drive in the industry



SMARTCONTROL™

SmartControl™ 3.0 with Pressure Gauge

Graco's advanced SmartControl 3.0 offers precision pressure control that delivers a consistent spray fan without pressure fluctuations.

- Spray thicker coatings and run longer hoses

Materials & Applications

The GMAX II STANDARD series are ideal for spraying a full range of coatings during residential, commercial and industrial jobs. Spray acrylics, primers, emulsions, waterborne and solvent-based paints with the 3900 and 5900, or upgrade to the 7900 HD to handle most common anti-corrosive and fire-retardant paints and Airless plasters as well!



TiltBack™ Cart Design

Sprayer kick stand allows convenient, one-person bucket change and makes it easier to clean and maintain your pump.

Semi-Pneumatic Wheels

- Roll easily over rough terrain

Contractor PC™ Gun

**FINISH JOBS FASTER
WITH LESS FATIGUE**
**Premium Comfort for
All-Day Spraying**

- Lightest gun in its class
- Up to 50% lighter trigger pull force
- E-Z Fit adjustable trigger length

(PATENT PENDING)

**REDUCE DOWNTIME
WITH PROCONNECT**
**Complete Gun Rebuild
in Seconds** (PATENT PENDING)

- Needle and all wear parts in one simple cartridge



CONTRACTOR_{PC}



EXTEND YOUR SPRAYING AUTONOMY

When used with a hopper or container suction kit, you can work for longer periods of time before refilling. Use for overnight storage or to transport your material. You will save energy, time and money.



! TIP

Always begin working at low material pressure.

Gradually raise the pressure, but only to the minimum pressure required for successful application. Using too much pressure can cause pack-out due to aggregated materials or dirt.

For improved pump performance when spraying paint with the GMAX II 7900 HD unit, replace the ceramic ball in the lower pump with the SST ball (delivered free of charge with the unit).



VS



(PATENT PENDING)

OLD way

NEW way

Modular pre-oiled cartridge packings install correctly every time

QuikPak™ Cartridge System

Repack the entire pump in minutes



Insert pre-oiled packing cartridge assembly



Remove disposable clip



Assemble pump

GMAX™ II Standard



GMAX II Standard 7900 (7900 HD)

	3900	5900 (5900 HD)	7900 (7900 HD)
Part Numbers:	17G999	17H810 (17H819)	17H818 (17H820)
Max. Tip Size: 1 gun	0.036"	0.043"	0.047"
Max. Flow - l/min (gpm)	4.7 (1.25)	6.0 (1.6)	8.3 (2.2)
Max. Pressure - bar (PSI)	227 (3300)	227 (3300)	227 (3300)
Engine displacement - cm ³	120	200	200
Pump	Paint	Paint (HD Texture)	Paint (HD Texture)
Piston rod	Chromex™	Chromex (Hard Chrome)	MaxLife™
Sleeve	Hard Chrome	Hard Chrome	MaxLife
MaxFlo™ 2	—	— (✓)	— (✓)
Gun	Contractor PC™	Contractor PC (HD Blue Texture)	Contractor PC (HD Blue Texture)
Tips	517	517 (427,531)	517 (427,531)
Hose	1/4" x 15 m	1/4" x 15m (3/8" x 15 m)	1/4" x 15 m (3/8" x 15 m)
Whip hose	—	(1/4" X 0.9 m)	(1/4" X 0.9 m)
Weight - kg (lbs)	50 (109)	64 (139)	67 (146)

UNPACK, PLUG & SPRAY! Ready to go: the GMAX II Standard Series shipped complete and ready to spray. SmartControl™ 3.0, TiltBack™ cart design, whip hose, BlueMax™ II hose, 246215 RAC X HandTite™ guard, gun, 206994 TSL™ 0.25 litre.

Accessories

Get the most out of your equipment by using our professional accessories:

Guns		RAC X™ Tip Extensions	Additional Accessories
17Y043	Contractor PC™ Airless gun,	287019 25 cm	287987 90-litre hopper kit
	RAC X 517	287020 40 cm	289587 Bag roller
289605	TexSpray™ blue gun with RAC X	287021 50 cm	24M445 Heavy duty container suction kit
	guard and RAC X 531 tip	287022 75 cm	40 cm, 2" hose with 1" to DIN C
245820	Inline™ 4-finger plaster gun,		clamp connectors.
	280 bar		
Gun-Tip-Hose Kits		CleanShot™ RAC X Pole Gun	Easy Out™ Gun Filters
17Y051	Contractor PC gun, 1/4" X 15 m	287026 90 cm	287032 Easy Out gun filter, 60 mesh x 1
	hose, 3/16" x 0.9 m whip,	287027 180 cm	287033 Easy Out gun filter, 100 mesh x 1
	RAC X 517		287034 Kit: 60 mesh x 1 + 100 mesh x 1
289611	TexSpray blue gun, 3/8" X 15 m	Hoses (230 bar)	Easy Out™ Pump Filters
	hose, 1/4" x 0.9 m whip, RAC X	240794 1/4" x 15 m	244071 30 mesh, grey
	531/427 tip, 276 bar	240797 3/8" x 15 m	244068 100 mesh, blue
289585	Inline 4-finger plaster gun, 1/2"	223771 1/4" x 30 m	244067 60 mesh, black
	x 15 m hose, 3/8" x 3.6 m whip,	241275 3/8" x 30 m	244069 200 mesh, red
	RAC X 643 + WA 1239 tip, 280 bar	241272 1/4" x 20 m	
Standard Endurance™ Pump Lowers		Whips (230 bar)	Liquids
16Y598	GMax II 3900	238358 3/16" x 0.9 m	206994 TSL™ 0.25 l
16Y706	GMax II 5900	238959 3/16" x 1.4 m	253574 Pump Armor™ 1 l
16X429	GMax II 5900 HD	238359 3/16" x 1.8 m	245133 Pump Armor 3.8 l
16X423	GMax II 7900	Hose Connectors	
25E689	GMax II 7900 HD	156971 1/4" x 1/4" (M) x (M)	
		157350 1/4" x 3/8" (M) x (M)	

For more information regarding other GMAX II sprayers: GMAX II ProContractor Series: leaflet 300719 - GMAX II IronMan Series: leaflet 300769

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.

GRACO DISTRIBUTION BVBA Industrieterrein Oude Bunders • Slakwedestraat 31 • B-3630 Maasmechelen
Tel: +32 (89) 770 700 • Fax: +32 (89) 770 777 • <http://www.graco.com>



Every Graco purchase comes with A+ Customer Service.



©2019 Graco Distribution BVBA 300718ENEU (rev.C) 02/19 Printed in Europe.
All other brand names or marks are used for identification purposes and are trademarks of their respective owners.
Product covered by issued and pending patents, see graco.com/us/en/patents